


Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1 – 17. (Canceled)

18. (Currently Amended) A compound of the following formula:



wherein

each of R¹, R², R³, R⁴, R^{4'}, R⁶, R⁷, R¹¹, R¹², R¹⁵, R¹⁶, and R^{17'}, independently, is hydrogen, hydroxy, amino, carboxyl, oxo, halo, sulfonic acid, -O-sulfonic acid, or alkyl that is optionally inserted with -NH-, -N(alkyl)-, -O-, -S-, -SO-, -SO₂-, -O-SO₂-, -SO₂-O-, -O-SO₃-, -SO₃-O-, -CO-, -CO-O-, -O-CO-, -CO-NH-, -CO-N(alkyl)-, -NH-CO-, or -N(alkyl)-CO-, and further optionally substituted with hydroxy, halo, amino, carboxyl, sulfonic acid, or -O-sulfonic acid;

each of R⁵, R⁸, R⁹, R¹⁰, R¹³, and R¹⁴, independently, is hydrogen, alkyl, haloalkyl, hydroxyalkyl, alkoxy, hydroxy, or amino;

R¹⁷ is -X-Y-Z, in which X is unsubstituted alkyl or alkenyl; Y is a bond; and Z is alkyl, alkynyl, cycloalkyl, heterocycloalkyl, cycloalkenyl, heterocycloalkenyl, aryl, heteroaryl, aralkyl, or heteroaralkyl, and is substituted with alkylsulfinyl, alkylsulfonyl, carboxyl or

alkyloxycarbonyl; or Z is alkenyl substituted with hydroxy, alkoxy, amino, halo, sulfonic acid, -O-sulfonic acid, oxo, alkyloxycarbonyl, alkylcarbonyloxy, alkylaminocarbonyl, alkylcarbonylamino, alkylcarbonyl, alkylsulfinyl, alkylsulfonyl, or alkylthio; and n is 0;

provided that when Z is substituted with carboxyl or alkyloxycarbonyl, either X or Z contains at least one double bond;
or a salt thereof.

19. (Cancelled)

20. (Original) The compound of claim 18, wherein each of R³ and R⁶, independently, is hydroxy, amino, carboxyl, halo, sulfonic acid, -O-sulfonic acid, or alkyl, and is in the α-configuration.

21. (Original) The compound of claim 18, wherein R⁵ is hydrogen and is in the β-configuration.

22. (Original) The compound of claim 18, wherein each of R¹, R², R³, R⁴, R^{4'}, R⁶, R⁷, R¹¹, R¹², R¹⁵, R¹⁶, and R^{17'}, independently, is hydrogen, hydroxy, oxo, halo, sulfonic acid, -O-sulfonic acid, or alkyl.

23. (Withdrawn) The compound of claim 22, wherein each of R¹, R², R³, R⁴, R^{4'}, R⁶, R⁷, R¹¹, R¹², R¹⁵, R¹⁶, and R^{17'}, independently, is hydrogen, hydroxy, or oxo; and each of R⁵, R⁸, R⁹, R¹⁰, R¹³, and R¹⁴, independently, is hydrogen or hydroxy.

24 – 28. (Canceled)

29. (Previously Presented) The compound of claim 18, wherein Z is alkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl, and is substituted with carboxyl, alkylsulfinyl, or

alkylsulfonyl; or Z is alkenyl substituted with hydroxy, alkoxy, halo, sulfonic acid, -O-sulfonic acid, alkylsulfinyl, or alkylsulfonyl.


30. (Cancelled)

31. (Original) The compound of claim 18, wherein R¹⁷ contains a straight chain having 6-20 chain atoms.


32. (Original) The compound of claim 31, wherein R¹⁷ contains a straight chain having 8-16 chain atoms.

33. (Withdrawn) The compound of claim 18, wherein X is -CH(CH₃)-CH₂-, Y is a bond, and Z is -CH₂-CH=C(R')(CH₃) with R' being hydroxy, alkoxy, amino, halo, sulfonic acid, -O-sulfonic acid, carboxyl, oxo, alkyloxycarbonyl, alkylcarbonyloxy, alkylaminocarbonyl, alkylcarbonylamino, alkylcarbonyl, alkylsulfinyl, alkylsulfonyl, or alkylthio.

34. (Previously Presented) The compound of claim 18, wherein said compound is:



(28)




(30)

(31)

35 – 64. (Cancelled)

65. (Currently Amended) A pharmaceutical composition for treating a UR- or a LXR-mediated disorder, said composition comprising a pharmaceutically acceptable carrier and an effective amount of a compound of the following formula:



wherein

each of R¹, R², R³, R⁴, R^{4'}, R⁵, R⁶, R⁷, R¹¹, R¹², R¹⁵, R¹⁶, and R¹⁷, independently, is hydrogen, hydroxy, amino, carboxyl, oxo, halo, sulfonic acid, -O-sulfonic acid, or alkyl that is optionally inserted with -NH-, -N(alkyl)-, -O-, -S-, -SO-, -SO₂-, -O-SO₂-, -SO₂-O-, -O-SO₃-, -SO₃-O-, -CO-, -CO-O-, -O-CO-, -CO-NH-, -CO-N(alkyl)-, -NH-CO-, or -N(alkyl)-CO-, and further optionally substituted with hydroxy, halo, amino, carboxyl, sulfonic acid, or -O-sulfonic acid;


each of R⁵, R⁸, R⁹, R¹⁰, R¹³, and R¹⁴, independently, is hydrogen, alkyl, haloalkyl, hydroxyalkyl, alkoxy, hydroxy, or amino;

R¹⁷ is -X-Y-Z, in which X is unsubstituted alkyl or alkenyl; Y is a bond; and Z is alkyl, alkynyl, cycloalkyl, heterocycloalkyl, cycloalkenyl, heterocycloalkenyl, aryl, heteroaryl, aralkyl, or heteroaralkyl, and is substituted with alkylsulfinyl, alkylsulfonyl, carboxyl or alkyloxycarbonyl; or Z is alkenyl substituted with hydroxy, alkoxy, amino, halo, sulfonic acid, -O-sulfonic acid, oxo, alkyloxycarbonyl, alkylcarbonyloxy, alkylaminocarbonyl, alkylcarbonylamino, alkylcarbonyl, alkylsulfinyl, alkylsulfonyl, or alkylthio; and

n is 0;

provided that when Z is substituted with carboxyl or alkyloxycarbonyl, either X or Z contains at least one double bond;
or a salt thereof.

66. (Previously Presented) The composition of claim 65, wherein said compound is:



67-68. (Cancelled)